| Version 1.2 | Revision Date: 02/18/2015 | | SDS Number: 474-00003 | Date of last issue: 02/10/2015 Date of first issue: 01/26/2015 | | |
|---------------------|--|------|---|--|--|--|
| SECTION | N 1. IDENTIFICATION | | | | | |
| Proc | luct name | : | : Boardwalk® White Lotion Soap | | | |
| Proc | luct code | : | BWK-420 | BWK-420 | | |
| | ufacturer or supplier's pany name of supplier | | ails LAGASSE, Inc. | | | |
| Address | | : | One Parkway North Boulevard Deerfield, Illinois 60015 | | | |
| Tele | phone | : | 800-989-7487 | | | |
| Eme | Emergency telephone | | 800-989-7487 | | | |
| Rec | ommended use of the o | cher | nical and restriction | ons on use | | |
| Rec | Recommended use | | Skin-care | | | |
| Restrictions on use | | : | consumers and o foreseeable use. specifically define exempt from the r While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and of intended-use guid | I care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, ad by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large should be retained and available for ther users of this product. For specific dance, please refer to the information ackage or instruction sheet. | | |

SECTION 2. HAZARDS IDENTIFICATION

| GHS Classification Eye irritation | : Category 2A |
|--------------------------------------|---------------------------------------|
| GHS Label element | |
| Hazard pictograms | |
| | |
| Signal Word | : Warning |
| Hazard Statements | : H319 Causes serious eye irritation. |
| Precautionary Statements | : Prevention: |
| | 1 / 12 |

| Version | Revision Date: | MSDS Number: | Date of last issue: 02/10/2015 |
|---------|----------------|---|--|
| 1.2 | 02/18/2015 | 51474-00003 | Date of first issue: 01/26/2015 |
| | | P280 Wear eye Response: P305 + P351 + for several minu to do. Continue | n thoroughly after handling. protection/ face protection. P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/ |

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

| Chemical Name | CAS-No. | Concentration (%) |
|---|------------|-------------------|
| Alcohols, C10-16, ethoxylated, sulfates, sodium salts | 68585-34-2 | >= 1 - < 5 |
| Cocoamidopropyl betaine | 61789-40-0 | >= 1 - < 5 |

SECTION 4. FIRST AID MEASURES

| General advice | In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek med advice. | |
|---|--|---------------|
| If inhaled | If inhaled, remove to fresh air. Get medical attention if symptoms occur. | |
| In case of skin contact | : Wash with water and soap as a precaution. Get medical attention if symptoms occur. | |
| In case of eye contact | In case of contact, immediately flush eyes with plenty of w for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. | <i>v</i> ater |
| If swallowed | If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. | |
| Most important symptoms and effects, both acute and delayed | : Causes serious eye irritation. | |
| Protection of first-aiders | First Aid responders should pay attention to self-protection and use the recommended personal protective equipment when the potential for exposure exists. | |

SAFETY DATA SHEET

Boardwalk® White Lotion Soap

| Version 1.2 | Revision Date: 02/18/2015 | | SDS Number: 474-00003 | Date of last issue: 02/10/2015 Date of first issue: 01/26/2015 | | | |
|----------------|---------------------------------------|-----|---|---|--|--|--|
| Notes | to physician | : | : Treat symptomatically and supportively. | | | | |
| SECTION | 5. FIRE-FIGHTING ME | ASL | JRES | | | | |
| Suital | ble extinguishing media | : | Water spray Alcohol-resistar Dry chemical Carbon dioxide | | | | |
| | Unsuitable extinguishing media | | None known. | | | | |
| | Specific hazards during fire fighting | | : Exposure to combustion products may be a hazard to health. | | | | |
| Haza ucts | Hazardous combustion prod- ucts | | Sulfur oxides Carbon oxides Metal oxides Chlorine compo Nitrogen oxides | | | | |
| | Specific extinguishing methods | | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe so. Evacuate area. | | | | |
| | al protective equipment e-fighters | : | | ire, wear self-contained breathing apparatus. otective equipment. | | | |

CTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations. |
|---|---|
| Environmental precautions | Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and |

| Version 1.2 | Revision Date: 02/18/2015 | | last issue: 02/10/2015 first issue: 01/26/2015 | | |
|-------------------------|------------------------------|--|--|--|--|
| | | employed in the cleanup of determine which regulation Sections 13 and 15 of this | disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. | | |
| SECTION | I 7. HANDLING AND ST | DRAGE | | | |
| Technical measures | | : See Engineering measures CONTROLS/PERSONAL F | | | |
| Local/Total ventilation | | : Use only with adequate ve | Use only with adequate ventilation. | | |
| Advice on safe handling | | practice. | | | |
| Cond | ditions for safe storage | : Keep in properly labeled co Store in accordance with th | ontainers. ne particular national regulations. | | |
| Materials to avoid : | | : Do not store with the follow Strong oxidizing agents | Do not store with the following product types: Strong oxidizing agents | | |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

| | - |
|--------------------------------|------------|
| Ingredients | CAS-No. |
| Alcohols, C10-16, ethoxylated, | 68585-34-2 |
| sulfates, sodium salts | |
| Cocoamidopropyl betaine | 61789-40-0 |

| Engineering measures : | Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles. |
|------------------------|---|
|------------------------|---|

| Version 1.2 | Revision Date: 02/18/2015 | | Number: -00003 | Date of last issue: 02/10/2015 Date of first issue: 01/26/2015 |
|----------------|---|--|--|---|
| | Personal protective equipm Respiratory protection | | aintain vapor ex | exhaust ventilation is recommended to posures below recommended limits. Where |
| | | concentrations are above recommended limits or are unknown, appropriate respiratory protection should be w Follow OSHA respirator regulations (29 CFR 1910.134) use NIOSH/MSHA approved respirators. Protection prov by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure a supplied respirator if there is any potential for uncontrolle release, exposure levels are unknown, or any other circumstance where air purifying respirators may not pro adequate protection. | | |
| | l protection aterial | n : Impervious gloves | | 3 |
| Re | emarks | on tim Fo res glo | : Choose gloves to protect hands against chemicals deper on the concentration specific to place of work. Breakthro time is not determined for the product. Change gloves of For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. | |
| Еуе р | protection | | : Wear the following personal protective equipment: Safety goggles | |
| Skin | and body protection | res po Sk | Select appropriate protective clothing based on chemic resistance data and an assessment of the local exposision potential. Skin contact must be avoided by using impervious pro- clothing (gloves, aprons, boots, etc). | |
| Hygie | ene measures | loc Wi | ated close to the nen using do no | ushing systems and safety showers are ne working place. ot eat, drink or smoke. ed clothing before re-use. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : liquid |
|------------------------------|---------------------|
| Color | : white, off-white |
| Odor | : soapy |
| Odor Threshold | : No data available |
| рН | : 4.8 - 6.2 |
| Melting point/freezing point | : No data available |

| Vers 1.2 | sion | Revision Date: 02/18/2015 | | DS Number: 74-00003 | Date of last issue: 02/10/2015 Date of first issue: 01/26/2015 |
|-------------|---------------------|------------------------------|---|------------------------|---|
| | Solidific | cation / Setting point | | 2.90 °C | |
| | Initial b range | oiling point and boiling | : | 98.00 °C | |
| | Flash p | point | : | > 100 °C | |
| | Evapor | ation rate | : | No data available | |
| | Flamm | ability (solid, gas) | : | Not applicable | |
| | Upper e | explosion limit | : | No data available | |
| | Lower | explosion limit | : | No data available | |
| | Vapor p | oressure | : | No data available | |
| | Relative | e vapor density | : | No data available | |
| | Density | / | : | 1.0000 g/cm3 | |
| | Solubili Wate | ity(ies) er solubility | : | soluble | |
| | Partitio octanol | n coefficient: n- I/water | : | Not applicable | |
| | Autoigr | nition temperature | : | No data available |) |
| | Decom | position temperature | : | The substance o | r mixture is not classified self-reactive. |
| | Viscosi Visco | ty osity, kinematic | : | 3,000 - 18,000 m | m2/s (20.00 °C) |
| | Explosi | ive properties | : | Not explosive | |
| | Oxidiziı | ng properties | : | The substance o | r mixture is not classified as oxidizing. |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : Not classified as a reactivity hazard. |
|---|--|
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reac- tions | : Can react with strong oxidizing agents. |
| Conditions to avoid | : None known. |
| Incompatible materials | : Oxidizing agents |
| Hazardous decomposition products | : No hazardous decomposition products are known. |

| Version 1.2 | Revision Date: 02/18/2015 | | 8 Number: I-00003 | Date of last issue: 02/10/2015 Date of first issue: 01/26/2015 | | | |
|------------------------|---|---------------|------------------------|--|--|--|--|
| SECTION | SECTION 11. TOXICOLOGICAL INFORMATION | | | | | | |
| Inhal Skin Inges | contact | es of exp | osure | | | | |
| Acut | e toxicity | | | | | | |
| Not c | lassified based on ava | lable info | ormation. | | | | |
| Prod | uct: | | | | | | |
| Acute | e oral toxicity | | | estimate: > 5,000 mg/kg lation method | | | |
| Alco | edients: hols, C10-16, ethoxyla e oral toxicity | : LI As | 050 (Rat): > 2 | | | | |
| | oamidopropyl betaine e oral toxicity | : L[M | | mg/kg) Test Guideline 401 ed on data from similar materials | | | |
| Acute | e dermal toxicity | M As to | ssessment: T xicity | 2,000 mg/kg) Test Guideline 402 The substance or mixture has no acute dermal ed on data from similar materials | | | |
| Skin | corrosion/irritation | | | | | | |

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result: Irritation to eyes, reversing within 21 days

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Irreversible effects on the eye

| Version | Revision Date: | MSDS Number: |
|---------|----------------|--------------|
| 1.2 | 02/18/2015 | 51474-00003 |

Date of last issue: 02/10/2015 Date of first issue: 01/26/2015

Cocoamidopropyl betaine:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

...

Cocoamidopropyl betaine: Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

| Ingredients: | |
|--|---|
| Cocoamidopropyl betaine: Genotoxicity in vitro | Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials |
| Genotoxicity in vivo | Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials |
| Carcinogenicity | |
| Not classified based on availab | ole information. |
| IARC | No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| OSHA | No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. |
| NTP | No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |

| Version | Revision Date: | MSDS Number: | Date of last issue: 02/10/2015 |
|---------|----------------|--------------|---------------------------------|
| 1.2 | 02/18/2015 | 51474-00003 | Date of first issue: 01/26/2015 |

Reproductive toxicity

Not classified based on available information.

Ingredients:

Cocoamidopropyl betaine: Effects on fetal development : Test Type: Embryo-fetal development Species: Rat **Application Route: Ingestion**

Method: OECD Test Guideline 414 **Result:** negative Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Cocoamidopropyl betaine: Species: Rat NOAEL: 250 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

| Cocoamidopropyl betaine: | | | |
|-------------------------------|---|--|--|
| Toxicity to fish : | LC50: > 1 - 10 mg/l Exposure time: 96 h Method: ISO 7346/2 Remarks: Based on data from similar materials | | |
| Toxicity to bacteria : | EC50: > 100 mg/l Method: OECD Test Guideline 209 Remarks: Based on data from similar materials | | |
| Persistence and degradability | | | |

Product:

Biodegradability : Result: Biodegradable

| Vers 1.2 | sion | Revision Date: 02/18/2015 | MSDS Number: 51474-00003 | Date of last issue: 02/10/2015 Date of first issue: 01/26/2015 |
|---|------|--|--|---|
| | | i <mark>ents:</mark> I Is, C10-16, ethoxylat radability | ed, sulfates, sodium : Result: Readily b | |
| Cocoamidopropyl betaine: Biodegradability : | | | > 60 % | |
| | | umulative potential a available | | |
| | | y in soil a available | | |
| | • | adverse effects a available | | |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods Waste from residues | : Dispose of in accordance with local regulations. |
|--|--|
| Contaminated packaging | : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. |

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

| Version 1.2 | Revision Date: 02/18/2015 | MSDS Number: 51474-00003 | Date of last issue: 02/10/2015 Date of first issue: 01/26/2015 | | | |
|------------------------------------|------------------------------|-----------------------------|---|--|--|--|
| | | | | | | |
| SECTION 15. REGULATORY INFORMATION | | | | | | |

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

| SARA 311/312 Hazards | : Acute Health Hazard |
|----------------------|---|
| SARA 302 | : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. |
| SARA 313 | : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. |

US State Regulations

Pennsylvania Right To Know


| - | Water Alcohols, C10-16, ethoxylated, sulfates, | 7732-18-5 68585-34-2 | 70 - 90 % 1 - 5 % |
|----------------|---|-------------------------|----------------------|
| | sodium salts | 00000-04-2 | 1-5 /6 |
| | Sodium chloride | 7647-14-5 | 1 - 5 % |
| New Jersey Rig | ght To Know | | |
| | Water | 7732-18-5 | 70 - 90 % |
| | Alcohols, C10-16, ethoxylated, sulfates, sodium salts | 68585-34-2 | 1 - 5 % |
| | Sodium chloride | 7647-14-5 | 1 - 5 % |
| | Cocoamidopropyl betaine | 61789-40-0 | 1 - 5 % |

| California Prop 65 | This product does not contain any chemicals known to the |
|--------------------|--|
| | State of California to cause cancer, birth, or any other |
| | reproductive defects. |

| The ingredients of this product are reported in the following inventories: | | |
|--|-------------------------------------|--|
| AICS | : All ingredients listed or exempt. | |

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)



Sources of key data used to compile the Material Safety Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Revision Date : 02/18/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8